

MAINE GENERAL ASSISTANCE NCPDP VERSION D.Ø PAYER SHEET

REQUEST CLAIM BILLING/CLAIM REBILL

**** Start of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet ****

GENERAL INFORMATION

Payer Name: Maine General Assistance		Date: December 19, 2011
Plan Name/Group Name: Maine General Assistance - MEPOPGA		BIN: ØØ5526 PCN: MEPOPGA
Processor: Goold Health Systems (GHS)		
Effective as of: January 17, 2012		NCPDP Telecommunication Standard Version/Release #: D.Ø
NCPDP Data Dictionary Version Date: July 2007		NCPDP External Code List Version Date: March 2010
Contact/Information Source:		
Certification Testing Window:		
Certification Contact Information: 1-877-553-8455 POS Tech Support		
Provider Relations Help Desk Info: 1-888-420-9711		
Other versions supported: NCPDP Telecommunications Standard v5.1 until 12/31/2011		

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B2	Claim Reversal

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing/Claim Rebill transactions and those that do not have qualified requirements (i.e. not used) for this payer are excluded from the template.

CLAIM BILLING/CLAIM REBILL TRANSACTION

The following lists the segments and fields in a Claim Billing or Claim Rebill Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø*.

Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill <i>If Situational, Payer Situation</i>
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Payer Issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used	X	

Field #	Transaction Header Segment <i>NCPDP Field Name</i>	Value	Payer Usage	Claim Billing/Claim Rebill <i>Payer Situation</i>
1Ø1-A1	BIN NUMBER	ØØ5526	M	BIN for Maine General Assistance
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	B1 – Claim billing B3 – Claim Rebill
1Ø4-A4	PROCESSOR CONTROL NUMBER	MEPOPGA	M	

Transaction Header Segment			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
109-A9	TRANSACTION COUNT	Ø1- Ø4	M	Ø1=One Occurrence Ø2=Two Occurrences Ø3=Three Occurrences Ø4= Four Occurrences
202-B2	SERVICE PROVIDER ID QUALIFIER	Ø1=National Provider Identifier (NPI)	M	Only the NPI is supported
201-B1	SERVICE PROVIDER ID		M	NPI of the submitting pharmacy
401-D1	DATE OF SERVICE		M	
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	Blank Fill	M	No other values required

Insurance Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Insurance Segment Segment Identification (111-AM) = "Ø4"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID		M	Member ID as issued to the Maine General Assistance Beneficiary
309-C9	ELIGIBILITY CLARIFICATION CODE		RW	<i>Imp Guide:</i> Required if needed for receiver inquiry validation and/or determination, when eligibility is not maintained at the dependent level. Required in special situations as defined by the code to clarify the eligibility of an individual, which may extend coverage. <i>Payer Requirement:</i> Required if needed to clarify eligibility status in order to support claim approval
301-C1	GROUP ID		RW	<i>Imp Guide:</i> Required if necessary for state/federal/regulatory agency programs. Required if needed for pharmacy claim processing and payment. <i>Payer Requirement:</i> Same as Implementation Guide
306-C6	PATIENT RELATIONSHIP CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the relationship of the Patient to the Cardholder. <i>Payer Requirement:</i> Same as Imp. Guide

Patient Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing/Claim Rebill	
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	DATE OF BIRTH		R	
305-C5	PATIENT GENDER CODE		R	
310-CA	PATIENT FIRST NAME		RW	<i>Imp Guide:</i> Required when the patient has a first name.

	Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Payer Requirement: This field is always sent
311-CB	PATIENT LAST NAME		R	
3Ø7-C7	PLACE OF SERVICE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement: Same as Imp. Guide</i>
335-2C	PREGNANCY INDICATOR		RW	<i>Imp Guide:</i> Required if pregnancy could result in different coverage, pricing, or patient financial responsibility. Required if "required by law" as defined in the HIPAA final Privacy regulations section 164.5Ø1 definitions (45 CFR Parts 16Ø and 164 Standards for Privacy of Individually Identifiable Health Information; Final Rule-Thursday, December 28, 2ØØØ, page 828Ø3 and following, and Wednesday, August 14, 2ØØ2, page 53267 and following.) <i>Payer Requirement: Required when known</i>
384-4X	PATIENT RESIDENCE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement: Same as Imp Guide</i>

Claim Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This payer supports partial fills		
This payer does not support partial fills	X	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER	ØØ=Compound Ø1=UPC Ø2=HRI Ø3=NDC	M	Use 'ØØ' only when submitting claims for compounded prescriptions, in all other instances use the qualifier appropriate for the product ID in field 4Ø7-D7
4Ø7-D7	PRODUCT/SERVICE ID		M	Use 'Ø' only when submitting claims for compounded prescriptions, in all other instances use the ID of the product being dispensed
442-E7	QUANTITY DISPENSED		R	
4Ø3-D3	FILL NUMBER	Ø=Original Dispensing	R	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		1 to 99 = Refill Number		
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE	1=Not a Compound 2=Compound	R	
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE		R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
415-DF	NUMBER OF REFILLS AUTHORIZED	Ø=Not Specified 1 to 99	RW	<i>Imp Guide:</i> Required if necessary for plan benefit administration. <i>Payer Requirement:</i> Required when available on first fill.
419-DJ	PRESCRIPTION ORIGIN CODE		RW	<i>Imp Guide:</i> Required if necessary for plan benefit administration. <i>Payer Requirement:</i> Same as Imp. Guide
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Submission Clarification Code (42Ø-DK) is used. <i>Payer Requirement:</i> Same as Imp. Guide
42Ø-DK	SUBMISSION CLARIFICATION CODE	Ø1=No Override Ø8=Compounds	RW	<i>Imp Guide:</i> Required if clarification is needed and value submitted is greater than zero (Ø). If the Date of Service (4Ø1-D1) contains the subsequent payer coverage date, the Submission Clarification Code (42Ø-DK) is required with value of "19" (Split Billing – indicates the quantity dispensed is the remainder billed to a subsequent payer when Medicare Part A expires. Used only in long-term care settings) for individual unit of use medications. <i>Payer Requirement:</i> Required when provider will accept payment on one or more, but not necessarily all, ingredients of a multi-ingredient compound and consider payment received as payment in full for the prescribed products MEPOGA does not support split billing
6ØØ-28	UNIT OF MEASURE		RW	<i>Imp Guide:</i> Required if necessary for state/federal/regulatory agency programs. Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement:</i> Recommended to submit if compounded prescription claim and Compound Code (4Ø6-D6) = 2.
995-E2	ROUTE OF ADMINISTRATION		RW	<i>Imp Guide:</i> Required if specified in trading partner agreement. <i>Payer Requirement:</i> Same as Imp. Guide

Pricing Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
409-D9	INGREDIENT COST SUBMITTED		R	
430-DU	GROSS AMOUNT DUE		R	
412-DC	DISPENSING FEE SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation. <i>Payer Requirement:</i> Same as Imp. Guide
433-DX	PATIENT PAID AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement:</i> Same as Imp Guide
438-E3	INCENTIVE AMOUNT SUBMITTED			<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation. <i>Payer Requirement:</i> Same as Imp Guide
478-H7	OTHER AMOUNT CLAIMED SUBMITTED COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Other Amount Claimed Submitted Qualifier (479-H8) is used. <i>Payer Requirement:</i> Same as Imp Guide
479-H8	OTHER AMOUNT CLAIMED SUBMITTED QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Amount Claimed Submitted (480-H9) is used. <i>Payer Requirement:</i> Same as Imp Guide
480-H9	OTHER AMOUNT CLAIMED SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation. <i>Payer Requirement:</i> Same as Imp Guide
426-DQ	USUAL AND CUSTOMARY CHARGE		RW	<i>Imp Guide:</i> Required if needed per trading partner agreement. <i>Payer Requirement:</i> Maine General Assistance agreements require submission of Usual and Customary Charge.
423-DN	BASIS OF COST DETERMINATION		RW	<i>Imp Guide:</i> Required if needed for receiver claim/encounter adjudication. <i>Payer Requirement:</i> Same as Imp. Guide

Prescriber Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

	Prescriber Segment Segment Identification (111-AM) = "03"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER	12=Drug Enforcement	RW	<i>Imp Guide:</i> Required if Prescriber ID

	Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		Administration (DEA) Please continue to send 12=DEA		(411-DB) is used. Payer Requirement: Field should always be sent. Please continue to send 12=DEA
411-DB	PRESCRIBER ID	DEA	RW	Imp Guide: Required if this field could result in different coverage or patient financial responsibility. Required if necessary for state/federal/regulatory agency programs. Payer Requirement: DEA of prescriber required
427-DR	PRESCRIBER LAST NAME		RW	Imp Guide: Required when the Prescriber ID (411-DB) is not known. Required if needed for Prescriber ID (411-DB) validation/clarification. Payer Requirement: Same as Imp Guide
498-PM	PRESCRIBER PHONE NUMBER		RW	Imp Guide: Required if needed for Workers' Compensation. Required if needed to assist in identifying the prescriber. Required if needed for Prior Authorization process. Payer Requirement: Same as Imp Guide.

Compound Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required when the pharmacy is dispensing a compound of multiple ingredients and requesting payment for the prescribed compound from Maine General Assistance

	Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients	M	
488-RE	COMPOUND PRODUCT ID QUALIFIER	Ø1=UPC Ø2=HRI Ø3=NDC	M	
489-TE	COMPOUND PRODUCT ID		M	
448-ED	COMPOUND INGREDIENT QUANTITY		M	
449-EE	COMPOUND INGREDIENT DRUG COST		RW	Imp Guide: Required if needed for receiver claim determination when multiple products are billed.

	Compound Segment Segment Identification (111-AM) = "10"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				<i>Payer Requirement:</i> Required when the pharmacy is seeking compensation for the individual ingredient.
490-UE	COMPOUND INGREDIENT BASIS OF COST DETERMINATION		RW	<i>Imp Guide:</i> Required if needed for receiver claim determination when multiple products are billed. <i>Payer Requirement:</i> Required when a value is submitted in Compound Ingredient Drug Cost (449-EE)

**** End of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet ****

RESPONSE CLAIM BILLING/CLAIM REBILL PAYER SHEET

CLAIM BILLING/CLAIM REBILL ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

** Start of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet **

GENERAL INFORMATION

Payer Name: Maine General Assistance	Date: December 19, 2011	
Plan Name/Group Name: Maine General Assistance - MEPOPGA	BIN: 005526	PCN: MEPOPGA

CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE

The following lists the segments and fields in a Claim Billing or Claim Rebill response (Paid or Duplicate of Paid) Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.0.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

Field #	Response Transaction Header Segment <i>NCPDP Field Name</i>	Value	Payer Usage	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid) <i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	<i>Return when needed for transmission level messaging.</i>

Field #	Response Message Segment Identification (111-AM) = "20"	Value	Payer Usage	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid) <i>Payer Situation</i>
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement: Will be returned when text information needs to be sent.</i>

Response Insurance Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

Field #	Response Insurance Segment Identification (111-AM) = "25"	Value	Payer Usage	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid) <i>Payer Situation</i>
	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	GROUP ID		RW	<i>Imp Guide:</i> Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available. Required to identify the actual group that was used when multiple group coverages exist. <i>Payer Requirement: Same as Imp. Guide</i>
568-J7	PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Payer ID (569-J8) is used. <i>Payer Requirement: Same as Imp. Guide</i>
569-J8	PAYER ID		RW	<i>Imp Guide:</i> Required to identify the ID of the payer responding. <i>Payer Requirement Same as Imp. Guide</i>
302-C2	CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if the identification to be used in future transactions is different than what was submitted on the request. <i>Payer Requirement: Same as Imp. Guide</i>

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction. <i>Payer Requirement: Will be returned</i>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement: Same as Imp. Guide</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement: Same as Imp. Guide</i>

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as Imp. Guide
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as Imp. Guide
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3=Processor/ PBM	RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Will be returned
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Will be returned

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
5Ø5-F5	PATIENT PAY AMOUNT		R	
5Ø6-F6	INGREDIENT COST PAID		R	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
507-F7	DISPENSING FEE PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. <i>Payer Requirement:</i> Same as Imp. Guide
521-FL	INCENTIVE AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Incentive Amount Submitted (438-E3) is greater than zero (Ø). <i>Payer Requirement:</i> Same as Imp. Guide
563-J2	OTHER AMOUNT PAID COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used. <i>Payer Requirement:</i> Same as Imp. Guide
564-J3	OTHER AMOUNT PAID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used. <i>Payer Requirement:</i> Same as Imp. Guide
565-J4	OTHER AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Other Amount Claimed Submitted (48Ø-H9) is greater than zero (Ø). <i>Payer Requirement:</i> Same as Imp Guide, but will never be greater than Ø.
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported. <i>Payer Requirement:</i> Same as Imp. Guide
509-F9	TOTAL AMOUNT PAID		R	
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	<i>Imp Guide:</i> Required if Ingredient Cost Paid (506-F6) is greater than zero (Ø). Required if Basis of Cost Determination (432-DN) is submitted on billing. <i>Payer Requirement:</i> Return 14 = Other Payer-Patient Responsibility Amount to Indicate reimbursement was based on the Other Payer-Patient Responsibility Amount (352-NQ)

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
523-FN	AMOUNT ATTRIBUTED TO SALES TAX		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes sales tax that is the financial responsibility of the member but is not also included in any of the other fields that add up to Patient Pay Amount. <i>Payer Requirement:</i> Same as Imp Guide
513-FD	REMAINING DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only. <i>Payer Requirement:</i> Same as Imp. Guide
514-FE	REMAINING BENEFIT AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only. <i>Payer Requirement:</i> Same as Imp. Guide
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes deductible <i>Payer Requirement:</i> Same as Imp Guide
518-FI	AMOUNT OF COPAY		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes copay as patient financial responsibility. <i>Payer Requirement:</i> Same as Imp. Guide
520-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes amount exceeding periodic benefit maximum. <i>Payer Requirement:</i> Same as Imp Guide
571-NZ	AMOUNT ATTRIBUTED TO PROCESSOR FEE		RW	<i>Imp Guide:</i> Required if the customer is responsible for 100% of the prescription payment and when the provider net sale is less than the amount the customer is expected to pay. <i>Payer Requirement:</i> Same as Imp Guide
572-4U	AMOUNT OF COINSURANCE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes coinsurance as patient financial responsibility. <i>Payer Requirement:</i> Same as Imp. Guide
129-UD	HEALTH PLAN-FUNDED ASSISTANCE AMOUNT		RW	<i>Imp Guide:</i> Required when the patient meets the plan-funded assistance criteria, to reduce Patient Pay Amount (505-F5). The resulting Patient Pay Amount (505-F5) must be greater than or equal to zero. <i>Payer Requirement:</i> Same as Imp Guide

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
133-UJ	AMOUNT ATTRIBUTED TO PROVIDER NETWORK SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a cost share differential due to the selection of one pharmacy over another <i>Payer Requirement: Same as Imp Guide</i>
134-UK	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND DRUG		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand drug. <i>Payer Requirement: Same as Imp Guide</i>
135-UM	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/NON- PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a non-preferred formulary product. <i>Payer Requirement: Same as Imp Guide</i>
136-UN	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand non-preferred formulary product. <i>Payer Requirement: Same as Imp Guide</i>
137-UP	AMOUNT ATTRIBUTED TO COVERAGE GAP		RW	<i>Imp Guide:</i> Required when the patient's financial responsibility is due to the coverage gap. <i>Payer Requirement: Same as Imp Guide</i>

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Response Transaction Header Segment	Value	Payer Usage	Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>		<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	DØ	
103-A3	TRANSACTION CODE	B1, B3	
109-A9	TRANSACTION COUNT	Same value as in request	
501-F1	HEADER RESPONSE STATUS	A = Accepted	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	
201-B1	SERVICE PROVIDER ID	Same value as in request	
401-D1	DATE OF SERVICE	Same value as in request	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	Returned when needed for transmission level messaging

Response Message Segment Identification (111-AM) = "20"	Value	Payer Usage	Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>		<i>Payer Situation</i>
504-F4	MESSAGE	RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as Imp. Guide

Response Insurance Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	
This Segment is situational		

Response Insurance Segment Identification (111-AM) = "25"	Value	Payer Usage	Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>		<i>Payer Situation</i>
301-C1	GROUP ID	RW	<i>Imp Guide:</i> Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available. Required to identify the actual group that was used when multiple group coverages exist. <i>Payer Requirement:</i> Same as Imp. Guide
568-J7	PAYER ID QUALIFIER	RW	<i>Imp Guide:</i> Required if Payer ID (569-J8) is used. <i>Payer Requirement:</i> Same as Imp. Guide

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
569-J8	PAYER ID		RW	<i>Imp Guide:</i> Required to identify the ID of the payer responding. <i>Payer Requirement:</i> Same as Imp. Guide
302-C2	CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if the identification to be used in future transactions is different than what was submitted on the request. <i>Payer Requirement:</i> Same as Imp. Guide

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction. <i>Payer Requirement:</i> Same as Imp. Guide
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence. <i>Payer Requirement:</i> Same as Imp. Guide
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as Imp. Guide
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as Imp. Guide
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as Imp. Guide

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as Imp. Guide
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3=Processor/ PBM	RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Will be returned
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Will be returned

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
551-9F	PREFERRED PRODUCT COUNT	Maximum count of 6.		<i>Imp Guide:</i> Required if Preferred Product ID (553-AR) is used. <i>Payer Requirement:</i> Same as Imp. Guide

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required if DUR information needs to be sent

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used. <i>Payer Requirement:</i> Same as Imp Guide

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if utilization conflict is detected. <i>Payer Requirement:</i> Same as Imp Guide
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as Imp Guide
529-FT	OTHER PHARMACY INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as Imp Guide.
53Ø-FU	PREVIOUS DATE OF FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Quantity of Previous Fill (531-FV) is used. <i>Payer Requirement:</i> Same as Imp Guide.
531-FV	QUANTITY OF PREVIOUS FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Previous Date Of Fill (53Ø-FU) is used. <i>Payer Requirement:</i> Same as Imp Guide.
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as Imp Guide.
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as Imp Guide.
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same as Imp Guide.

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Returned when needed for transmission level messaging

	Response Message Segment Identification (111-AM) = "20"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail. Payer Requirement: Same as Imp. Guide

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence. Payer Requirement: Same as Imp. Guide
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: Same as Imp. Guide
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: Same as Imp. Guide
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail. Payer Requirement: Same as Imp. Guide

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as Imp. Guide
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3=Processor/ PBM	RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Will be returned
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Will be returned

**** End of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet ****

MAINE GENERAL ASSISTANCE NCPDP VERSION D CLAIM REVERSAL

REQUEST CLAIM REVERSAL

** Start of Request Claim Reversal (B2) Payer Sheet **

GENERAL INFORMATION

Payer Name: Maine General Assistance	Date: December 19, 2011	
Plan Name/Group Name: Maine General Assistance - MEPOPGA	BIN: 005526	PCN: MEPOPGA

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes
NOT USED	NA	The Field is not used for the Segment in the designated Transaction. Not used are shaded for clarity for the Payer when creating the Template. For the actual Payer Template, not used fields must be deleted from the transaction (the row in the table removed).	No

Question	Answer
What is your reversal window? (If transaction is billed today what is the timeframe for reversal to be submitted?)	Maine General Assistance will accept reversal/ resubmission for 1 year from date of service

CLAIM REVERSAL TRANSACTION

The following lists the segments and fields in a Claim Reversal Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Transaction Header Segment Questions	Check	Claim Reversal <i>If Situational, Payer Situation</i>
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Payer Issued		
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Not used	X	

Field #	Transaction Header Segment <i>NCPDP Field Name</i>	Value	Payer Usage	Claim Reversal <i>Payer Situation</i>
101-A1	BIN NUMBER	005526	M	BIN for Maine General Assistance
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B2	M	Claim Reversal
104-A4	PROCESSOR CONTROL NUMBER	MEPOPGA	M	
109-A9	TRANSACTION COUNT	01-04	M	01=One Occurrence 02=Two Occurrences 03=Three Occurrences 04= Four Occurrences

Transaction Header Segment				Claim Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
202-B2	SERVICE PROVIDER ID QUALIFIER	Ø1=National Provider Identifier	M	Only the NPI is supported
201-B1	SERVICE PROVIDER ID		M	NPI of submitting pharmacy
401-D1	DATE OF SERVICE		M	
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	Blank fill	M	No other values supported

Insurance Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Insurance Segment Segment Identification (111-AM) = "Ø4"				Claim Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID		M	
301-C1	GROUP ID		RW	Imp Guide: Required if needed to match the reversal to the original billing transaction. Payer Requirement: Same as Imp. Guide

Claim Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	

Claim Segment Segment Identification (111-AM) = "Ø7"				Claim Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER		M	Imp Guide: For Transaction Code of "B2", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER	ØØ – For compound submissions Ø1 – Universal Product Code (UPC) Ø2 – Health Related Item (HRI) Ø3 – National Drug Code (NDC)	M	
407-D7	PRODUCT/SERVICE ID		M	
403-D3	FILL NUMBER	Same value as original Claim Billing, if sent	RW	Imp Guide: Required if needed for reversals when multiple fills of the same Prescription/Service Reference Number (402-D2) occur on the same day. Payer Requirement: Same as Imp Guide

**** End of Request Claim Reversal (B2) Payer Sheet ****

RESPONSE CLAIM REVERSAL PAYER SHEET

CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

**** Start of Claim Reversal Response (B2) Payer Sheet ****

GENERAL INFORMATION

Payer Name: Maine General Assistance	Date: December 19, 2011
Plan Name/Group Name: Maine General Assistance - MEPOPGA	BIN: 005526 PCN: MEPOPGA

CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

The following lists the segments and fields in a Claim Reversal response (Approved) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Response Transaction Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Response Transaction Header Segment	Value	Payer Usage	Claim Reversal – Accepted/Approved <i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	Provide general information when used for transmission-level messaging.

Field #	Response Message Segment Identification (111-AM) = "20"	Value	Payer Usage	Claim Reversal – Accepted/Approved <i>Payer Situation</i>
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as <i>Imp. Guide</i>

Response Status Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Response Status Segment Identification (111-AM) = "21"	Value	Payer Usage	Claim Reversal – Accepted/Approved <i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	A = Approved	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction. <i>Payer Requirement:</i> Same as <i>Imp. Guide</i>

Response Status Segment Segment Identification (111-AM) = "21"				Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Approved Message Code (548-6F) is used. <i>Payer Requirement:</i> Same as Imp. Guide
548-6F	APPROVED MESSAGE CODE		RW	<i>Imp Guide:</i> Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity. <i>Payer Requirement:</i> Same as Imp. Guide
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as Imp. Guide
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as Imp. Guide
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as Imp. Guide
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as Imp. Guide
549-7F	HELP DESK PHONE NUMBER QUALIFIER	03=Processor/ PBM	RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used. <i>Payer Requirement:</i> Will be returned
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Will be returned

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

Response Claim Segment Segment Identification (111-AM) = "22"				Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B2", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Reversal - Accepted/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Reversal – Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal - Accepted/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	Returned when needed for transmission level messaging

	Response Message Segment Identification (111-AM) = "20"			Claim Reversal – Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as Imp. Guide

Response Status Segment Questions	Check	Claim Reversal - Accepted/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence. <i>Payer Requirement:</i> Same as Imp. Guide
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as Imp. Guide
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as Imp. Guide

Response Status Segment Segment Identification (111-AM) = "21"				Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as Imp. Guide
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as Imp. Guide
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3=Processor/ PBM	RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Same as Imp. Guide
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Same as Imp. Guide

Response Claim Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Claim Segment Segment Identification (111-AM) = "22"				Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B2", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

CLAIM REVERSAL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Reversal - Rejected/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Reversal – Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal – Rejected/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent		
This Segment is situational		

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Reversal – Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as Imp. Guide

Response Status Segment Questions	Check	Claim Reversal - Rejected/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence. <i>Payer Requirement:</i> Same as Imp. Guide
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as Imp. Guide
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same as Imp. Guide

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same as Imp. Guide
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same as Imp. Guide
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3=Processor/ PBM	RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Will be returned
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Will be returned

**** End of Claim Reversal (B2) Response Payer Sheet ****